

ESPERA

NEW!

Weighing & Labeling
Heavy Products




ESPERA NOVA ES-H

The industrial scale for heavy products – robust, powerful, easy to operate.

DESIGNED FOR RELIABLE PERFORMANCE WITH HEAVY PRODUCTS

Cardboard boxes, crates, industrial packaging units, large cuts of meat, or heavy blocks of cheese place special demands on weigh-price labeling. The ESPERA ES-H weigh-price labelers, designed for heavy products, were developed specifically for these demanding applications and impress with their exceptional stability, precision, durability and full stainless steel design.



Even with heavy products, the system ensures smooth product transport, simplifies handling, and guarantees reliable weight measurement.

ADJUSTABLE APPLICATOR, MAXIMUM FLEXIBILITY

Depending on requirements, labeling can be performed from above, from the side, or from the front or back. This enables precise labeling of a wide variety of products and packaging using a single applicator system.




The applicator is adjusted manually.

Perfect labeling – even if the surface isn't.

The ES-H price labeler enables precise and reliable labeling even on uneven, curved or naturally shaped products, thus ensuring optimal product labeling in every application.


ES-H front view




Technical Specifications

Terminal	15.6" full glass swipe screen Stand/mounted
Performance 55 lb scale 110 lb scale	40 packs/min. 35 packs/min.
Weighing module	33/55 lb (0.05/0.01 lb); 55/110 lb (0.01/0.04 lb)
Printing speed	0.8 ft/sec.
Printing resolution	300 dpi
Printing technology	Thermal direct, thermal transfer
Label roll outer diameter	12"
Label roll core diameter	4"
Label minimum (L x W)	6" x 4"
Label maximum L x W)	1.4" x 1.4"
Package width max 55 lb scale	1.5" – 16"
Package width max 110 lb scale (Conveyor belts are positioned higher)	1.5" – 19"
Package length max without weighing belt extension	8" – 24"
Package length max with 2" weighing belt extension	11" – 27"
Package length max with 4" weighing belt extension	16" – 31"
Label winding	Inside
Package height max.	16"
Temperature range	32°F – 104°F
Humidity	20 % – 85 %
Protection level	IPX5
Power supply	110 V – 240 V, 50/60 Hz
Label application technology	Contact flap applicator

ES-H Terminal



ES-H view from the side



ONE STEP AHEAD.

ESPERA COOPER

921 Chestnut street, Suite 105
Gainesville, GA 30501
USA

Telephone: +1-470-290-8320

E-Mail: info@esperacooper.com

www.esperacooper.com